

# MAG BAG


*Multi-magnet design for unsurpassed metal removal*

The **MAG BAG** incorporates a multi-purpose design that attracts microscopic ferrous impurities along the entire length of the 12" or 24" magnetic bars. Filter life is optimized, as the ferrous particles are largely attracted to the magnet contaminate pockets, as opposed to the exit wall of the filter.

Lacking **Strainrites** proprietary multi-magnet configuration, other filter bags do not provide the same extensive sphere of influence and struggle to maintain high production flow rates.

Independent field studies demonstrate ferrous containment gain greater than two times over conventional filters.

*The **MAG BAG** comes in a range of sizes and materials for virtually any liquid-based application. Coated magnets are available that are rated and finished for your specific application.*



## APPLICATIONS


Automotive Pre-coat  
Plating  
Parts Washers  
Pre-cleaning Process Water  
Cutting, Grinding and Boring  
Machining Coolants and Lubricants

# SPECIFICATIONS

## FEATURES & BENEFITS

- Standard three pocket design accommodates three magnetized rods
- Minimizes downtime and waste-water treatment costs
- Keeps spray nozzles clean and enhances product appearance
- Multi-magnet design for unsurpassed metal removal
- Maximizes production capacity and product quality
- Extends life of cutting tools, equipment and metal-working liquids
- Traps 200% more ferrous fines
- Cost-effective reusable rare earth magnets with 1" lifting loop for easy removal

## MAG BAG VS. CONVENTIONAL FILTRATION



## ORDERING INFORMATION

MATERIAL	MICRON RATING	FINISH	SIZE	RING	OPTIONS
ex. <b>AP</b> AP - Polyester SP - Polypropylene	<b>10</b> 1T 50 1 75 5 100 10 200 25	<b>P</b> P - Plain S - Singed One Side	<b>2</b> 1 - 7" x 16" 2 - 7" x 30.5"	<b>S</b> S - Carbon Steel SS - Stainless Steel P - Polypro Flange PR - Polypro Ring	<b>Mag Bag</b> Mag Bag